# **MATERIAL SAFETY DATA SHEET**

Millennium Marking Company 2600 Greenleaf Ave

Elk Grove Village, IL 60007

EMERGENCY PHONE: 800-255-3924 PHONE NUMBER: 800-453-5362

FAX NUMBER: 800-453-5366 YELLOW SLINK INK REVISED: 03/13/2006

\_\_\_\_\_

#### **SECTION 1:**

HEALTH 2 CODE: 0=MINIMAL FLAMMABILITY: 3 1=SLIGHT REACTIVITY: 0 2=MODERATE PERSONAL PROTECTION: B 3=SERIOUS 4=SEVERE

#### **SECTION 2: HAZARDOUS INGREDIENTS**

I <u>NGREDIENT</u>	<u>PERCENT</u>	ACGIH-TLV	OSHA-PEL	CAS NO.
PIGMENT FOR COLOR	45.0%			
LEAD FROM PIGMENT	11.0%	.05PPM	.05PPM	7439-92-1
CHROMIUM	4.0%	.012PPM	.012PPM	7440-42-3
SHELLAC	25.0%	NOT EST.	NOT EST.	9000-59-3
ETHYL ALCOHOL	25.0%	1000PPM	1000PPM	64-17-5
CELLOSOLVE SOLVENT*	5.0%	5PPM	200PPM	110-80-5

\*IF THIS CHEMICAL IS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372. THIS PRODUCT IS IN COMPLIANCE WITH THE EPA TSCA INVENTORY.

## **SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS**

**BOILING POINT:** 302F **MELTING POINT:** -121F VAPOR DENSITY: 4.0 SPECIFIC GRAVITY: .9605 REACTIVITY IN WATER: NONE SOLUBILITY IN WATER: **NEGLIGIBLE AUTO IGNITION:** 545F 2MM HG VAPOR PRESSURE: APPEARANCE & ODOR: MOBILE LIQUID APPEARANCE & ODOR: MILD ODOR 2.0% / 11.1% LEL / UEL %: FLASH POINT: 100F METHOD: **CLOSED CUP** 

### **SECTION 4: FIRE & EXPLOSION DATA**

EXTINGUISHING MEDIA: CARBON DIOXIDE EXTINGUISHING MEDIA: DRY CHEMICAL

EXTINGUISHING MEDIA: ALCOHOL RESISTANT FOAM EXTINGUISHING MEDIA: UNIVERSAL-TYPE FOAM

EXTINGUISHING MEDIA: WATERSPRAY

SPECIAL FIRE PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS SPECIAL FIRE PROCEDURES: WEAR PROTECTIVE CLOTHING AND EQUIPMENT SPECIAL FIRE PROCEDURES: USE WATERSPRAY TO PROTECT PERSONNEL

UNUSUAL HAZARDS: WEAR FACE SHIELD TO PROTECT FACE AND EYES FROM CONTACT WITH LIQUID OR VAPOR

**SECTION5: REACTIVITY DATA** 

STABLE: YES

CONDITIONS TO AVOID: HEAT, SPARKS AND OPEN FLAME

INCOMPATIBILITY: STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION: BURNING WILL PRODUCE CO2 AND PROBABLY CO

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE

#### **SECTION 6: HEALTH HAZARDS**

ACUTE: HEADACHE, NAUSEA, VOMITING CHRONIC: SKIN AND EYE IRRITANT

CHRONIC: LIVER AND KIDNEY INJURY BY EXCESSIVE VAPOR

SIGNS AND SYMPTOMS OF EXPOSURE: HEADACHE, NAUSEA, VOMITING

SIGNS AND SYMPTOMS OF EXPOSURE: BREATHING DIFFICULTIES, IRRITATION TO RESPIRATORY TRACT, WEAKNESS

SIGNS AND SYMPTOMS OF EXPOSURE: IRRITATION TO EYES, NOSE AND SKIN

MEDICAL CONDITIONS AGGRAVATED: IN LAB INHALATION STUDIES WITH ANIMALS, CELLOSOLVE SOLVENT HAS CAUSED BIRTH DEFECTS IN FEMALES AND REPRODUCTIVE PROBLEMS IN MALES. DO NOT USE DURING PREGNANCY.

IS CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN?

NATIONAL TOXICOLOGY PROGRAM: NO

IARC MONOGRAPHICS: NO

OSHA: NO

FIRST AID FOR INHALATION: REMOVE TO FRESH AIR IF EFFECTS OCCUR FIRST AID FOR EYES: IRRIGATE WITH CLEAN WATER FOR 15 MINUTES FIRST AID FOR SKIN: WASH WITH SOAP AND WATER, CHANGE CLOTHING

FIRST AID FOR INGESTION: GIVE TWO GLASSES OF LUKEWARM WATER, INDUCE VOMITING, CALL DOCTOR

ROUTE OF ENTRY FOR INHALATION: AVOID PROLONGED BREATHING OF VAPORS

ROUTE OF ENTRY FOR EYES: AVOID ALL CONTACT WITH THE EYES

ROUTE OF ENTRY FOR SKIN: AVOID REPEATED OR PROLONGED SKIN CONTACT

ROUTE OF ENTRY FOR INGESTION: DO NOT TAKE INTERNALLY

\_\_\_\_\_

## SECTION 7: SPECIAL PRECAUTIONS AND SPILL / LEAK PROCEDURES

HANDLING & STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE HANDLING & STORAGE: USE ONLY WITH ADEQUATE VENTILATION HANDLING & STORAGE: DO NOT REPEATEDLY BREATHE VAPOR HANDLING & STORAGE: KEEP AWAY FROM HEAT AND FLAME STEPS IF SPILLED: REMOVE SOURCES OF IGNITION, VENTILATE

STEPS IF SPILLED: COVER SPILL WITH A SUITABLE ABSORBENT, SWEEP UP AND PUT IN CHEMICAL WASTE DRUM

STEPS IF SPILLED: DO NOT ALLOW SPILL TO ENTER WATERCOURSES

WASTE DISPOSAL: INCINERATE IN CHEMICAL FURNACE

WASTE DISPOSAL: MUST CONFORM TO LOCAL, STATE AND FEDERAL REGULATIONS

## **SECTION 8: SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: GENERAL ROOM VENTILATION IS SATISFACTORY

VENTILATION: PROVIDE ADEQUATE CROSS AIR CIRCULATION

LOCAL EXHAUST: PREFERABLE MECHANICAL: ACCEPTABLE

SPECIAL: NIOSH APPROVED RESPIRATOR WHEN NECESSARY

PROTECTIVE GLOVES: CHEMICAL RESISTANT EYE PROTECTION: SPLASH GLASSES OTHER PROTECTION: EYE WASH STATION

WORK / HYGIENIC PRACTICES: THIS PRODUCT SHOULD NOT BE USED BY PREGNANT WOMEN

## **SPECIAL MESSAGE SECTION**

THE HAZARDS LISTED ON THIS MSDS ARE TAKEN FROM THE MSDS FOR EACH OF THE INGREDIENTS IN THIS MIXTURE. IN MOST CASES THE MAXIMUM FORM OF HAZARD IS REPRESENTED HERE. THE TLV'S REPRESENT THE CONDITIONS UNDER WHICH IT IS BELIEVED THAT NEARLY ALL WORKERS MAY BE REPEATEDLY EXPOSED DAY AFTER DAY WITHOUT ADVERSE EFFECT. IT MUST BE REMEMBERED THAT EACH INDIVIDUAL REACTS DIFFERENTLY AND SOME MAY EXPERIENCE DISCOMFORT WHILE OTHERS DO NOT. THIS MSDS IS PRESENTED SO THAT EACH INDIVIDUAL WILL HAVE THE INFORMATION TO DEAL SAFELY WITH THE USE OF THIS PRODUCT. ALL MATERIALS TSCA LISTED.

**DISCLAIMER SECTION** 

DISCLAIMER OF LIABILITY: AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL. WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ALL LIABILITY FOR ANY USE OF THIS MATERIAL. INFORMATION CONTAINED HEREBY IS GIVEN IN GOOD FAITH AND BELIEVED TO BE TRUE AND ACCURATE. BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED. REGARDING THE ACCURACY OF THE INFORMATION. THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. INFORMATION ON MSDS SUPPLIED BY INK MFG. PREPARED BY: ALLEN WERWA. SAFETY DIRECTOR 02/18/97